

CLE-LINE[®]

MASONRY

®

C



a product of



Greenfield Industries is excited to announce the expansion and addition of masonry drill bits to the Cle-Line brand. All Cle-Line masonry bits are designed to machine the toughest stone, masonry, and tile and are manufactured out of premium carbide and steel.

This supplement shows the range of products to be added to the Cle-Line family of tools. The 2015 Cle-Line catalog will be updated to include these products. This supplement is also available to download at our website, www.gfii.com.

A new Cle-Line net pricing file is available upon request. For more information, contact Customer Service via telephone at 800-348-2885 or via email at standard.distributors@gfii.com, or visit the Greenfield Industries web site, www.gfii.com.





Series 1818

Applications | MASONRY

- Features |
- Carbide tip
 - Sandblasted finish
 - Straight shank
 - Saves more than 20% battery life on cordless drills



fractional	cutting diameter		shank diameter	length of cut	overall length	EDP Number
	decimal	metric				
1/8	.1250	3.18	3/32"	1-9/16	3	C20930
3/16	.1875	4.76	5/32"	2-3/8	4	C20932
3/16	.1875	4.76	5/32"	4-5/16	6	C20910
1/4	.2500	6.35	7/32"	2-3/8	4	C20934
1/4	.2500	6.35	7/32"	4-5/16	6	C20935
1/4	.2500	6.35	3/16"	10-7/16	12	C20911
5/16	.3125	7.94	15/64"	2-3/8	4	C20937
5/16	.3125	7.94	15/64"	4-5/16	6	C20938
5/16	.3125	7.94	15/64"	10-7/16	12	C20912
3/8	.3750	9.53	5/16"	2-3/8	4	C20939
3/8	.3750	9.53	5/16"	4-5/16	6	C20940
3/8	.3750	9.53	5/16"	10-7/16	12	C20913
1/2	.5000	12.70	3/8"	4-5/16	6	C20944
1/2	.5000	12.70	3/8"	10-7/16	12	C20914
5/8	.6250	15.88	1/2"	4-5/16	6	C20946
5/8	.6250	15.88	1/2"	10-7/16	12	C20925
3/4	.7500	19.05	1/2"	4-3/4	6-1/4	C20948
3/4	.7500	19.05	1/2"	10-7/16	12	C20926
7/8	.8750	22.23	1/2"	10-7/16	12	C20927
1	1.0000	25.40	1/2"	4-3/4	6-1/4	C20950
1	1.0000	25.40	1/2"	10-7/16	12	C20928



MASONRY DRILLS

MASONRY SET : 5 Pieces : 1/8, 5/32, 3/16, 1/4, 5/16

C20929

continued on next page



Series 1889

Applications | MASONRY

- Features |
- Carbide tip
 - Fast spiral for quick chip ejection
 - Sandblasted finish
 - Straight shank
 - Unique head design provides fast drilling



fractional	cutting diameter		shank diameter	length of cut	overall length	EDP Number
	decimal	metric				
1/8	.1250	3.18	3/32"	1-9/16"	3	C23286
3/16	.1875	4.76	5/32"	2-3/4	4	C23270
1/4	.2500	6.35	7/32"	2-3/8	4	C23287
1/4	.2500	6.35	7/32"	4-5/16	5-7/8	C23271
1/4	.2500	6.35	7/32"	10-7/16"	12	C23272
5/16	.3125	7.94	15/64"	2-3/8	4	C23288
5/16	.3125	7.94	15/64"	4-5/16	5-7/8	C23273
5/16	.3125	7.94	15/64"	10-7/16"	12	C23274
3/8	.3750	9.53	5/16"	2-3/8	4	C23289
3/8	.3750	9.53	5/16"	4-5/16	5-7/8	C23275
3/8	.3750	9.53	5/16"	10-7/16"	12	C23276
1/2	.5000	12.70	3/8"	2-3/8	4	C23278
1/2	.5000	12.70	3/8"	4-5/16	5-7/8	C23280
1/2	.5000	12.70	3/8"	10-7/16"	12	C23281
5/8	.6250	15.88	1/2"	4-5/16	5-7/8	C23282
3/4	.7500	19.05	1/2"	4-3/4	6-5/16"	C23283

Series 1841 Tapcon

Applications | MASONRY

- Features |
- Carbide tip
 - Sandblasted finish
 - Straight shank
 - Saves more than 20% battery life on cordless drills



fractional	cutting diameter		shank diameter	length of cut	overall length	EDP Number
	decimal	metric				
5/32	.1562	3.97	5/32"	3-3/32"	4-1/2	C19010
5/32	.1562	3.97	5/32"	3-15/16"	5-1/2	C19012
3/16	.1875	4.76	5/32"	2-29/32"	4-1/2	C19011
3/16	.1875	4.76	5/32"	3-15/16"	5-1/2	C19013



Series 1821 SDS-plus 2 Cutting Premium

Applications | MASONRY

Features |

- Carbide, concrete breaking, tip
- Self-centering point
- 160° tip angle
- Compatible SDS-Plus shank
- Square flute
- Self-centering tip provides accuracy and continuous precision
- Chiseling effect designed to break through concrete



fractional	cutting diameter		shank diameter	length of cut	overall length	EDP Number
	decimal	metric				
3/16	.1875	4.76	SDS + shank 3/8"	2	4	C21032
3/16	.1875	4.76	SDS + shank 3/8"	4	6	C20712
3/16	.1875	4.76	SDS + shank 3/8"	6	8	C21033
3/16	.1875	4.76	SDS + shank 3/8"	10	12	C21020
1/4	.2500	6.35	SDS + shank 3/8"	2	4	C21034
1/4	.2500	6.35	SDS + shank 3/8"	4	6	C20713
1/4	.2500	6.35	SDS + shank 3/8"	6	8	C21035
1/4	.2500	6.35	SDS + shank 3/8"	10	12	C21021
5/16	.3125	7.94	SDS + shank 3/8"	4	6	C21036
5/16	.3125	7.94	SDS + shank 3/8"	10	12	C21022
3/8	.3750	9.53	SDS + shank 3/8"	4	6	C20714
3/8	.3750	9.53	SDS + shank 3/8"	6	8	C21039
3/8	.3750	9.53	SDS + shank 3/8"	10	12	C21040
3/8	.3750	9.53	SDS + shank 3/8"	16	18	C21023
1/2	.5000	12.70	SDS + shank 3/8"	4	6	C20715
1/2	.5000	12.70	SDS + shank 3/8"	6	8	C21042
1/2	.5000	12.70	SDS + shank 3/8"	10	12	C21043
1/2	.5000	12.70	SDS + shank 3/8"	16	18	C21024
5/8	.6250	15.88	SDS + shank 3/8"	6	8	C21025
5/8	.6250	15.88	SDS + shank 3/8"	8	10	C20716
5/8	.6250	15.88	SDS + shank 3/8"	10	12	C21046
5/8	.6250	15.88	SDS + shank 3/8"	16	18	C21026
3/4	.7500	19.05	SDS + shank 3/8"	6	8	C20717
3/4	.7500	19.05	SDS + shank 3/8"	10	12	C21048
3/4	.6250	15.88	SDS + shank 3/8"	16	18	C21027
7/8	.8750	22.23	SDS + shank 3/8"	8	10	C21028
1	1.0000	25.40	SDS + shank 3/8"	10	12	C21029
1	1.0000	25.40	SDS + shank 3/8"	16	18	C21030



MASONRY DRILLS



Series 1833 SDS-plus 3 Cutting Premium

Applications | DRILL REBAR

Features |

- Carbide tip.
- Self-centering point
- 135° tip angle
- Three cutting edges
- Square flute
- Three cutting edge tip for constant drilling
- Self-centering tip provides accuracy and precision
- Square flute design accelerates dust extraction and improves the drill bit life



cutting diameter			shank diameter	length of cut	overall length	EDP Number
fractional	decimal	metric				
3/16	.1875	4.76	SDS + shank 3/8"	2	4	C22100
3/16	.1875	4.76	SDS + shank 3/8"	4	6	C22101
1/4	.2500	6.35	SDS + shank 3/8"	2	4	C22102
1/4	.2500	6.35	SDS + shank 3/8"	4	6	C22103
1/4	.2500	6.35	SDS + shank 3/8"	10	12	C22104
5/16	.3125	7.94	SDS + shank 3/8"	4	6	C22105
5/16	.3125	7.94	SDS + shank 3/8"	10	12	C22106
3/8	.3750	9.53	SDS + shank 3/8"	4	6	C22107
3/8	.3750	9.53	SDS + shank 3/8"	10	12	C22108
1/2	.5000	12.70	SDS + shank 3/8"	4	6	C22109
1/2	.5000	12.70	SDS + shank 3/8"	10	12	C22110
9/16	.5625	14.29	SDS + shank 3/8"	4	6	C22111
9/16	.5625	14.29	SDS + shank 3/8"	10	12	C22112

SDS PLUS SET 5 PIECES: 3/16, 1/4, 5/16, 3/8, 1/2 BY 6 C22113

Series 1822

Applications | GLASS and TILE

Features |

- New harder carbide grade.
- 4-sided 'diamond-style' design with aggressive cutting edges
- Copper paste brazing
- Fast spiral with tightened pitch
- Improved drill length
- Aggressive tip improves accuracy and continuous precision
- Drills through tiles up to Class 3
- Better resistance to high temperature when drilling
- Ideal for deep materials



cutting diameter			item name	overall length	EDP Number
fractional	decimal	metric			
1/8	.1250	3.18	1822 1/8 GLASS & TILE DRILL	2-1/2	C20718
3/16	.1875	4.76	1822 3/16 GLASS & TILE DRILL	2-1/2	C20719
1/4	.2500	6.35	1822 1/4 GLASS & TILE DRILL	2-1/2	C20720
5/16	.3125	7.94	1822 5/16 GLASS & TILE DRILL	2-3/4	C20721
3/8	.3750	9.53	1822 3/8 GLASS & TILE DRILL	3-1/8	C20722
1/2	.5000	12.70	1822 1/2 GLASS & TILE DRILL	3-1/8	C20723



Series 1837

Applications | MULTI PURPOSE

- Features |
- Carbide tip
 - L shaped flute
 - Universal use



fractional	cutting diameter		shank diameter	length of cut	overall length	EDP Number
	decimal	metric				
1/8	.1250	3.18	7/64"	1-5/16	2-3/4	C22200
5/32	.1562	3.97	5/32"	1-9/16	3	C22201
3/16	.1875	4.76	3/16"	1-7/8	3-5/16	C22202
1/4	.2500	6.35	7/32"	2-5/16	3-15/16	C22203
5/16	.3125	7.94	19/64"	3-1/8	4-3/4	C22204
3/8	.3750	9.53	23/64"	3-1/8	4-3/4	C22205
1/2	.5000	12.70	31/64"	4-5/16	5-7/8	C22206
5/8	.6250	15.88	1/2"	4-5/16	5-7/8	C22207

MULTIPURPOSE SET : 5 Pieces : 1/8, 5/32, 3/16, 1/4, 5/16 C22208



MASONRY DRILLS



www.gfii.com

2501 Davis Creek Road, Seneca, SC 29678 USA

email: standard.distributors@gfii.com - USA

national.distributors@gfii.com - National Accounts

canada.distributors@gfii.com - Canada

international.distributors@gfii.com - International

greenfield.information@gfii.com - Tech Support

Phone: 800.348.2885 USA & Canada

706.650.4196 International

800.892.4281 Tech Support

Fax: 800.892.4290 USA

800.387.6649 Canada

706.854.4054 International



Distributed by:

